BUILT-IN APPLIANCES

CANDY

CANDY

THE CANDY PHILOSOPHY

A real understanding of consumer requirements is central to Candy's ongoing research and development programme. By anticipating changes in taste and lifestyle Candy has translated research results into unique appliance innovations, producing kitchen appliances that are efficient, technically advanced and beautifully styled. Developed for today's lifestyle these new appliances will co-ordinate perfectly with contemporary as well as the more traditional kitchen designs and all come with a guarantee of satisfaction from a company that has a reputation for taking care of its customers.

CANDY

CONTENTS



OVENS

Maxi Ovens	8
U•See Ovens	10
Elite / Pop Ovens	12
Plan / Double Ovens	15
Classic Ovens	17
90cm Ovens	18
60cm gas Ovens	19
Built-in Microwave Ovens	20
Built-in Warming Drawers	21
Duo Range	23
Trio range	25

HOBS

Plan gas hobs	**28**
75cm gas hobs	**29**
60cm gas hob	**30**
Glass gas hobs	**30**
Gas hobs	**31**
Electric hob	**31**
Induction hobs	**32**
Hi-light Ceramic hobs	**33**
Domino hobs	**35**

HOODS

Island hoods	**38**
Decor hoods	**38**
Plan decor hoods	**39**
Chimney hoods	**40**
Integrated hoods	**41**
Canopy hoods	**41**
Conventional hoods	**41**

DISHWASHERS

Fully integrated dishwashers 44

Semi Integrated Dishwasher 45

Fully integrated Slimline dishwasher 45

Built-in compact Dishwasher 45

LAUNDRY

Fully integrated washer dryers 46

Fully integrated washing machines 47

REFRIGERATION

Side by side fridge freezer 50

Fully integrated fridge freezers 51

Fully integrated refrigeration 52

Built-in wine coolers 56

TECHNICAL SPECIFICATIONS

From page 57

OVENS

Candy's Plan range which includes single and double ovens combines the attraction of simple styling with the quality of a great brand. It's flat front styling, clean–cut lines and careful positioning of controls are in line with the latest trends in cooking design.

Energy Efficient

Candy Ovens offer outstanding performance as some are now rated A–20 , which means that they are 20 more efficient than the most efficient A rated oven.

Aqua Activa Oven Cleaning System

The Aqua Activa cleaning system helps to remove even the most stubborn burnt on food residues and grease spattering from the oven cavity.

It's quick and easy to use, simply pour around 300ml of water into the shallow well at the base of the oven cavity and select the Aqua Activa cleaning programme on the dial. The oven is heated to a temperature of 90ºC for a period of 30 minutes. When cool the oven can simply be wiped over with a cloth.

Catalytic Liners

Catalytic liners are available on some of the ovens in the Candy range and they work by attracting grease particles and food residues to the liners, these minute deposits are then carbonised by the heat from the oven, this makes them extremely easy to clean.

NEW OVEN DOOR DESIGN

Candy single ovens have a new full glass oven door for easy cleaning and a larger glass window for improved visibility.

SAFETY SHELF SYSTEM

The oven walls feature specially designed grooves that allow the shelves to slide more easily. The grooves also prevent the shelves from being pulled out completely.

A CLASS CLEAN SYSTEM

The new A Class Enamel, smooth as glass, is completely water and dirt repellent. Its ultra smooth surface prevents dirt from adhering to the surface, and withstands corrosion from high sugar-content foodstuffs.

LARGE CAPACITY MAXI OVEN

Even more cooking capacity?

With more than 45 more cooking capacity than a conventional oven, the Candy Maxi oven, is at 78 litres capable of cooking on 5 different levels at any one time, which is ideal if you are entertaining family or friends. The oven has a soft close door, which can be left to gradually close and its cool touch as well, so it's extremely safe if children are in the kitchen.

MAXI OVEN RANGE

FXH 629 VX

MAXI MULTI-FUNCTION OVEN

8 functions › **multi-function oven** › drop down door › variable grill › touch control electronic programmer › soft closure › defrost function › pizza function › conventional cooking › fan cooking › **USEE LED** › double glazed door › large 78 litre capacity › energy class A-20%



FXP 609 X

MAXI MULTI-FUNCTION OVEN

8 functions › **multi-function oven** › variable grill › touch control electronic programmer › defrost function › pizza function › conventional cooking › fan cooking › drop down door › soft close door › double glazed door › large 78 litre capacity › energy class A-20%



FXP 623 X

MAXI MULTI-FUNCTION OVEN

8 functions › **multi-function oven** › variable grill › 3 mechanical knob controls › defrost function › conventional cooking › fan cooking › **integral fan cooling system** › drop down door › easy to clean oven interior › double glazed door › large 78 litre capacity › energy class A-20%



U.SEE OVENS

U•SEE

Candy's innovative U•see technology combines outstanding performance with exceptionally low energy consumption. Fourteen ultra white lights on the oven door perimeter illuminate the whole cavity, providing perfect visibility throughout the entire oven. Usee ovens range from A–20 to A rated for energy efficiency and the LED lights use only 1kw of electricity compared to conventional oven lights that consume between 20wh –50wh.

U·SEE

FVPE 729/6X
MULTI-FUNCTION OVEN

9 functions including ucook > multi-function oven › variable grill › **14 U.see LED Lights** › touch display › 2 knob controls › defrost function › pizza function › conventional cooking › fan cooking › Ucook › integral fan cooling system › double glazed door › telescopic shelves › A class enamel - easy to clean oven interior › 69 litre capacity › energy class A-20% › **AQUAACTIVA**

AquActiva cleaning system



FVPE 702/6X
MULTI-FUNCTION OVEN

9 functions including soft cook › multi-function oven › variable grill › **14 U·see LED Lights** › defrost function › conventional cooking › fan cooking › pizza function › soft cook › A class enamel - easy to clean oven interior › safety shelf system › 2 shelves › 1 roasting tray / baking tray › double glazed door › 65 litre capacity › flat glass inner door › energy class A-20%



OVENS / ELITE RANGE

FET 609X
MULTIFUNCTION OVEN

9 functions › **multi-function oven** › electronic touch programmer › variable grill › fan cooking › Pizza › defrost function › oven light › integral fan cooling system › safety shelf system › soft closure door › 2 shelves › 1 roasting tray/grill pan › 2 glass layer door › A class enamel - easy to clean oven interior › 69 litre capacity › energy class A-20% › **SOFT COOK** › **AQUAACTIVA**



OVENS / POP EVO RANGE

FPE 609/6X
MULTI-FUNCTION OVEN

8 functions › **multi-function oven** › electronic touch programmer › variable grill › fan cooking › Pizza › defrost function › oven light › integral fan cooling system › safety shelf system › 2 shelves › 1 roasting tray/grill pan › 2 glass layer door › A class enamel - easy to clean oven interior › 65 litre capacity › energy class A-20% › **AQUAACTIVA**



FPE 602/6X
FAN ASSISTED OVEN

8 functions › **multi-function oven** › 3 mechanical knob controller › variable grill › fan cooking › Pizza › defrost function › oven light › integral fan cooling system › safety shelf system › 2 shelves › 1 roasting tray/grill pan › 2 glass layer door › A class enamel - easy to clean oven interior › 65 litre capacity › energy class A-20%

stainless steel .....FPP 409X
black .....FPP 409N
white .....FPP 409W



FPE 502/6X
FAN ASSISTED OVEN

5 functions › **multi-function oven** › 3 mechanical knob controllers › variable grill › fan cooking › oven light › safety shelf system › soft closure door › 2 shelves › 1 roasting tray/grill pan › 2 glass layer door › A class enamel - easy to clean oven interior › 65 litre capacity › energy class A-20%



OVENS / SMART RANGE

FST 249/6X
STATIC OVEN

5 functions › dual zone grill › touch control timer › oven light › A class enamel – easy to clean oven interior › safety shelf system › integral fan cooling system › 2 shelves › 1 roasting tray/grill pan › double glazed door › 65 litre capacity › energy class A-20% › Turnspit



FST 100/6X
STATIC OVEN

4 functions › dual zone grill › 2 mechanical knob controllers › oven light › A class enamel – easy to clean oven interior › safety shelf system › integral fan cooling system › 2 shelve › 1 roasting tray/grill pan › double layer glass door › 65 litre capacity › energy class A-20% ›



DOUBLE OVENS / PLAN RANGE



FDP 6109X
BUILT-IN MULTI-FUNCTION DOUBLE OVEN

Plan styling › **Bottom oven**: Multi-function › LED display › "easy to clean" enamel interior › oven light › double glazed oven door › 1 shelf and 1 grill pan › 54 litre capacity › energy class A

Conventional Top oven › variable grill › oven light › double glazed door › 1 shelf and 1 grill pan › 39 litre capacity › energy class A

stainless steel ..... FDP 6109X
black/stainless steel* ..... FDP 6109NX
* stainless steel knobs and handles only



TCP 6107X
BUILT-UNDER MULTI-FUNCTION DOUBLE OVEN

Plan styling › **Bottom oven**: Multi-function › LED display › "easy to clean" enamel interior › oven light › double glazed oven door › 1 shelf and 1 grill pan › 43 litre capacity › energy class A

Conventional Top oven › variable grill › oven light › double glazed door › 1 shelf and 1 grill pan › 39 litre capacity › energy class A

stainless steel ..... TCP 6107X
black/stainless steel* ..... TCP 6107NX
* stainless steel knobs and handles only



LATTERAL OVENS / FASHION RANGE

FHL 647/1X
BUILT-UNDER MULTI-FUNCTION DOUBLE OVEN

Plan styling › **Bottom oven**: Multi-function › LED display › "easy to clean" enamel interior › oven light › double glazed oven door › 1 shelf and 1 grill pan › 43 litre capacity › energy class A

Conventional Top oven › variable grill › oven light › double glazed door › 1 shelf and 1 grill pan › 39 litre capacity › energy class A



FHL 623 1/X
BUILT-UNDER FAN DOUBLE OVEN

Plan styling › **Bottom oven:** fan › electronic programmer › "easy to clean" enamel interior › oven light › double glazed oven door › 1 shelf and 1 grill pan › 43 litre capacity › energy class B › **Conventional Top oven** › variable grill › oven light › double glazed oven door › 1 shelf and 1 grill pan › 39 litre capacity › energy class A



12:25

OVENS / CLASSIC RANGE

FCL 614/6X
CLASSIC MULTI-FUNCTION OVEN

8 functions › **multi-function oven** › 2 mechanical knob controllers + clock › variable grill › fan cooking › Pizza › defrost function › oven light › integral fan cooling system › safety shelf system › 2 shelves › 1 roasting tray/grill pan › 2 glass layer door › A class enamel - easy to clean oven interior › 65 litre capacity › energy class A-20%

Colors - cast iron, copper, sand, old white, Inox



Ucook

Controls & maintains humidity in the oven and helps retain the moisture content of even the most delicate pastries.

Rapid reduction of oven pre-heating times 0°C - 200°C in only 8 minutes!

Increases power by 50% compared to a standard grill.

Automaticallly adjusts fan speed to optimise air flow and oven temperature.

VarioFan

Automatically adjusts fan speed to optimise air flow and oven temperature for perfect cooking results.

OVENS / ELECTRIC OVEN - 90CM

FNP 319/1X
MULTIFUNCTION

10 functions › **multi-function oven** › 3 mechanical knob controller › variable grill › fan cooking › Pizza › defrost function › oven light › integral fan cooling system › 1 shelves › 2 roasting tray/grill pan › 3 glass layer door › 93 litre capacity › energy class A › Turnspit

Inox



OVENS / GAS OVEN - 90CM

FPG 2019/1X
GAS OVEN/GAS GRILL

4 functions › 2 mechanical knob controller + electronic display › variable grill › 2 oven lamps › integral fan cooling system › 1 shelves › 1 roasting tray/grill pan › 2 glass layer door › 93 litre capacity › Turnspit › Auto Ignition + Flame Failure device

Inox



FPG 390/1X
GAS OVEN/ELECTRIC GRILL

5 functions › 3 mechanical knob controllers› variable grill › 2 oven lights › integral fan cooling system › 2 shelves › 2roasting tray/grill pan › 2 glass layer door › 93 litre capacity › Turnspit › Auto Ignition + Flame Failure device

Inox



OVENS / GAS OVEN - 60CM

OVG 505/3X
GAS OVEN/GAS GRILL + FAN

4 functions › 3 mechanical knob controller › variable grill › oven lamps › integral fan cooling system › 2 shelves › 1 roasting tray/grill pan › 2 glass layer door › 69 litre capacity › Oven Fan › Auto Ignition + Flame Failure device

Inox

Colors

black .....OVG 505/3N

white .....OVG 505/3W



FPG 202/1XG
GAS OVEN/GAS GRILL

4 functions › 3 mechanical knob controller › variable grill › oven lamps › integral fan cooling system › 1 shelves › 1 roasting tray/grill pan › 2 glass layer door › 66 litre capacity › Turnspit › Auto Ignition + Flame Failure device

Inox

charcoal .....FCL 614GH



FLG 203/1X
GAS OVEN/ELECTRIC GRILL

5 functions › 3 mechanical knob controller › variable grill › oven lamps › integral fan cooling system › 1 shelves › 1 roasting tray/grill pan › 2 glass layer door › 66 litre capacity › Turnspit › Auto Ignition + Flame Failure device

Inox

Without Turnspit .....FLG 202/1X



COMBINATION OVEN, MICROWAVE AND GRILL

MIC 440 TX
COMBINATION OVEN, MICROWAVE AND GRILL

Electronic touch control › LED Clock/Programmer › 8 cooking combinations - conventional cooking, fan cooking - Convection, microwave cooking and grilling › 13 automatic menus › 2 defrost functions › stainless steel cavity › 44 litre volume › 36cm diameter turntable › microwave power rating 900 W › grill power rating 1750 W › 5 power levels 150-900 W
Inox

stainless steel .....MIC 440 TX



COMBINATION MICROWAVE OVEN AND GRILL

MIG 440 TX
COMBINATION MICROWAVE OVEN AND GRILL

Electronic touch control › LED Clock/Programmer › microwave cooking and grilling › 2 automatic menus › 2 defrost functions › stainless steel cavity › 44 litre volume › 36cm diameter turntable › microwave power rating 900 W › grill power rating 1750 W › 5 power levels 150-900 W , Inox



COMBINATION MICROWAVE OVEN AND GRILL

MIC 25 GDFX
COMBINATION MICROWAVE OVEN AND GRILL

5 power levels › 3 cooking combinations › microwave plus grill › microwave only › grill only › **electronic controls** › 10 automatic cooking functions › defrost functions › stainless steel interior › 31.5cm diameter glass turntable › 25 litre capacity › microwave power rating 900 W › grill power rating 1000 W
Inox

stainless steel CPWD140X



COMBINATION OVEN, MICROWAVE AND GRILL

MIC 25 GDFN
COMBINATION OVEN, MICROWAVE AND GRILL

5 power levels › **3 cooking combinations** › microwave plus grill › microwave only › grill only › **electronic controls** › 8 automatic cooking functions › defrost functions › stainless steel interior › 31.5cm diameter glass turntable › 250 litre capacity › microwave power rating 900 W › grill power rating 1000 W

Black color

White Glasss .....MIC 25 GDFW



COMBINATION MICROWAVE OVEN AND GRILL

MIC 20 GDFX
COMBINATION MICROWAVE OVEN AND GRILL

5 power levels › **3 cooking combinations** › microwave plus grill › microwave only › grill only › **electronic controls** › 10 automatic cooking functions › defrost functions › stainless steel interior › 24.5cm diameter glass turntable › 20 litre capacity › microwave power rating 800 W › grill power rating 1000 W

Inox



WARMING DRAWER / WARMING DRAWER

CPWD140X
BUILT-IN WARMING DRAWER

Programmes : keep warm function, pre-heating crockery › temperature freely adjustable from 30°C to 80°C › stainless steel finish › anti slip mat › illuminated on/off switch › telescopic full-depth pull-out drawer › max capacity 25kg › max absorbed power 620W › external dimensions H141 x W595 x D525

stainless steel CPWD140X



CANDY

Duo

DUO

Advanced technology with a practical design in one unique solution.

Introducing a multi–function oven and a 6 place setting dishwasher that fits perfectly into a 60cm space.

DUO 609 X

COMBINED OVEN AND DISHWASHER

Oven specification

Multi-function electric oven and grill > 39 litre capacity > oven light > touch controls > 5 functions > double glazed door > energy class A

Dishwasher specification

6 IEC place settings > **6 programmes** > 5 wash temperatures > 32 minute rapid programme > **Eco bio 45°C programme** > delicates programme > water consumption 9 litres > energy efficiency class A

stainless steel .....DUO 609 X



Electric multi–function oven

Ceramic hob

6 place–setting dishwasher

TRIO – The big solution for small kitchens – combined oven, hob and dishwasher in a 60cm space.

Introducing a combination oven, hob and dishwasher that makes the most of limited space. With smart technology, smart design and unrivalled flexibility, the Trio offers a whole new dimension in kitchen design.

COMBINED OVENS / TRIO RANGE

TRIO 9503 X

COMBINED OVEN, CERAMIC HOB AND DISHWASHER

Ceramic Hob Specification: 4 hi-light zones › **Oven Specification:** multi-function electric oven and grill › oven interior light › 39 litre oven capacity › end of cooking timer › double glazed door › energy class A › **Dishwasher Specification:** 6 IEC place settings › 5 programmes › 32 minute rapid programme › Anti-overflow device › Water consumption 8 litres › energy efficiency class A › wash efficiency class A › drying efficiency class A › **dimensions** › height mm 865-900 (adjustable feet) › width mm 596 › depth mm 600

Optional matching stainless steel 60cm splashback PM60X and 60cm chimney hood CCT685X

stainless steel .....TRIO 9503 X

CANDY

HOBS

A sleekly designed and solidly built range of 60cm and 75cm hobs include gas hobs with practical features that include quadruple ring burners and state of the art ceramic models that combine touch control with hi–light rapid response sprinter technology.



Induction Hob Efficiency

Induction hobs utilise Electromagnetic technology so that when a pan is placed on the induction heating zone it completes a magnetic circuit below the hob surface, causing only the contents of the pan to heat. It heats up a half litre of water in less than half the time and the surface temperature only reaches 81)C compared to a normal electric hob which can reach up to 410)C. Induction hobs are faster, more energy efficient and more controllable. It is also the safest type of hob, particularly if there are children present, as it will only heat up when the saucepan is placed on the hob.

Candy Flexi Hob

The Candy Flexi Induction hob is a controllable, safe and efficient way to cook. With futuristic touch control design the CFI36 model has an extra large cooking area that offers flexible, zoneless cooking plus two conventional zones. The introduction of this new zoneless technology means that lots of different sized pans can be placed anywhere inside the large cooking areas and moved around with ease.

Low Absorption Induction Hob

Using less than half the energy of normal induction hobs, the Candy CI 640 CBA low absorption hob comes complete with a 13 amp plug fitted, reducing the need for costly installation.

FLAME FAILURE DEVICE

In the event of the flame being extinguished accidentally a thermocouple device will automatically cut-off the gas supply.

AUTOMATIC IGNITION

Central control panels make it easier to reach and use the control knobs.
Electronic ignition control is integrated in the control knobs, to allow single handed operation; the raised and inclined panel avoids overheating.

INDUCTION HOBS

Induction hobs operate at 90% efficiency and are more environmentally friendly than any other hob, consuming half the electricity of the next most efficienct hob and one third the energy of an electric sealed plate hob.

HOBS 90CM / PLAN RANGE

PG 960/1SXGH
90CM GAS HOB

6 gas burners › one touch ignition › 2 rapid burner 3kW › 3 semi rapid burner 1.75kW › 1 auxiliary burner 1.0kW › flame failure device › cast iron pan supports
Inox



GAS HOBS / PLAN RANGE

PG 952/1SXGH
90CM GAS HOB

5 gas burners › one touch ignition › 1 Triple burner 3.5kW › 3 semi rapid burner 1.75kW › 1 auxiliary burner 1.0kW › flame failure device › cast iron pan supports
Inox



GAS HOBS / PLAN RANGE

PG 953/1SX
90CM GAS HOB

5 gas burners › one touch ignition › 1 Triple burner 3.5kW › 1 rapid burner 3kW › 2 semi rapid burner 1.75kW › 1 auxiliary burner 1.0kW › flame failure device › Enamelled pan supports
Inox

PG 953/1X - Without FlameFailure Device



HOBS 75CM / PLAN RANGE

CPG 75 SQGX
75CM PLAN HOB

5 gas burners › one touch ignition › cast iron pan supports › flame failure device › 1 quadruple ring burner 4kW › 2 rapid burner 2.5kW › 1 semi-rapid burner 1.75kW › 1 auxiliary burner 1kW

Inox

Enamelled Grids .....CPG 75 SQPX



CPG 74 SQGX
75CM PLAN HOB

4 gas burners › one touch ignition › cast iron pan supports › flame failure device › 1 quadruple ring burner 4kW › 1 rapid burner 2.5kW › 1 semi-rapid burner 1.75kW › 1 auxiliary burner 1kW

Inox

Enamelled Grids .....CPG 74 SQPX



GAS HOBS / GAS ON GLASS

PV 750 SN
75CM PLAN HOB

5 gas burners › **one touch ignition** › 5 enamelled pan supports › flame failure device › 1 quadruple ring burner 3.5 kW › 2 rapid burners 2.5 kW › 2 semi-rapid burners 1.75 kW

stainless steel Frame .....PV 750 SX

Black .....PV 750 SN



HOBS 60CM / PLAN RANGE

CPG 64SPX
60CM GAS HOB

4 gas burners › **one touch ignition** › flame failure device › 1 rapid burner 2.5 kW › 2 semi-rapid burners 1.75 kW › 1 auxiliary burner 1kW › 2 enamelled pan supports › INOX

stainless steel .....CPG 64SPX
black .....CPG 64SPN
white .....CPG 64SPB



CPG 64SGX
60CM GAS HOB

4 gas burners › **one touch ignition** › flame failure device › 1 rapid burner 2.5 kW › 2 semi-rapid burners 1.75 kW › 1 auxiliary burner 1kW › 2 enamelled pan supports › single cast hob plate , INOX

Quadruple burner - CPG 64 SQGX - Inox



HOBS 60CM / GAS ON GLASS HOBS

PV 640 SN
60CM DELUXE GAS GLASS HOB

High precision control knobs › **one touch ignition** › flame failure device › 4 gas burners › 2 rapid burners 2.5 kW › 2 semi-rapid burners 1.75 kW › 4 enamelled pan supports

black .....PV 640 SN



HOBS 60CM / GAS HOBS

CLG 64 SPX
GAS HOB

4 gas burners › one touch ignition › flame failure device › 1 rapid burner 2.7 kW › 2 semi-rapid burners 1.7 kW › 1 auxiliary burner 1.0 kW › 2 enamelled pan supports - INOX

stainless steel .....CLG 64 SPX
black .....CLG 64 SPN
white .....CLG 64 SPB
CLG 64 PX - Inox without Flame Failure Security



CLG 64 SGX
GAS HOB

4 gas burners › one touch ignition › flame failure device › 1 rapid burner 2.7 kW › 2 semi-rapid burners 1.7 kW › 1 auxiliary burner 1.0 kW › 2 Cast Iron supports - Inox



HOBS 60CM / ELECTRIC / MIX HOBS

PLE 64
60CM ELECTRIC HOB

High precision controls › 4 solid electric rapid hot plates › 2 hotplates Ø 180 mm 2.0 kW › 2 hotplates Ø 145 mm 1.5 kW › single-cast hob plate
INOX



CLG 631 SPX
60CM 3 GAS + 1 ELECTRIC HOT PLATE

1 solid electric rapid hot plate Ø 145 mm 1.5 kW › 1 rapid gas burner Ø 111 mm2.7 kW › 1 semi-rapid gas burner Ø 86 mm 1.7 kW › 1 Auxiliary gas burner Ø 66 mm 1 kW › single-cast hob plate › one touch ignition › flame failure device - INOX

HOBS / INDUCTION HOBS

CFID 36
60CM FLEXI INDUCTION HOB

Digital touch controls › **4 induction zones** › including flexible cooking zone › 2 Induction zones 200mm 1.5/2kW › 2 Induction zones 200mm 2.3kW which can be 1 Full Flexi zone 190 x 400mm 3/3.6kW › heat-on warning lights › child safety lock

black .....CFID 36



CI 640 C
60CM INDUCTION HOB

Digital touch controls › timer on each zone › **4 induction zones** › 1 zone Ø 210mm 2kW › 1 zone Ø 180mm 2kW › 2 zones Ø 180mm 1.4kW › child safety lock

black .....CI 640 C



CI 640 CBA
60CM INDUCTION HOB - LOW ABSORPTION

Digital touch controls › timer on each zone › **4 induction zones** › 1 zone Ø 210mm 2kw › 1 zone Ø 180mm 2kw › 2 zones Ø 180mm 1.5kw › easy to clean cooking surface › child safety lock › fitted with a 13 amp plug

black (no trim) .....CI 640 CBA



HOBS / HI-LIGHT SPRINTER CERAMIC

CH 95 CA
90CM TOUCH CONTROL HI-LIGHT CERAMIC HOB

Digital touch controls › Electronic timer › **5 hi-light rapid heating elements with Booster** › 1 hi-light zone 180mm 1.8kW › 1 hi-light extendable double zone 170/265mm 1.4/2.2kW › 2 hi-lights 145mm 1.2kW › 1 hi-light zone 120/180mm .75/1.7kW › easy to clean cooking surface › Black



CH 742B
75CM TOUCH CONTROL HI-LIGHT CERAMIC HOB

Digital touch controls › end of cooking timer on a cooking area of your choice › **4 hi-light rapid sprinter cooking zones** › 1 hi-light zone 190mm 1.8kW › 1 hi-light extendable double zone 130/220mm 0.75/1.45kW › 1 hi-light extendable double zone 180/275mm 0.90 + 1.5kW › 1 hi-light zone 155mm 1.2kW › easy to clean cooking surface › child safety lock › bevelled front edge

black (bevelled front edge) . . . . . .CH742 B



CH 642B
60CM TOUCH CONTROL HI-LIGHT CERAMIC HOB

Digital touch controls › end of cooking timer on a cooking area of your choice › easy to clean cooking surface › **4 hi-light rapid sprinter cooking zones** › 1 hi-light zone Ø 155mm 1.2kW › 1 hi-light double zone Ø 130/220mm 0.75 + 1.45kW › 2 hi-light zones Ø 190mm 1.8kW each › child safety lock

stainless steel (front trim only) . . . . . .CH 642X
black (bevelled front edge) . . . . . .CH 642B



HOBS / HI-LIGHT SPRINTER CERAMIC

CH 64X

60CM TOUCH CONTROL HI-LIGHT CERAMIC HOB

Digital touch controls › end of cooking timer on a cooking area of your choice › **4 hi-light rapid sprinter cooking zones** › 1 hi-light zone 190mm 1.8kW › 1 hi-light extendable double zone 130/220mm 0.75/1.45kW › 1 hi-light extendable double zone 180/275mm 0.90 + 1.5kW › 1 hi-light zone 155mm 1.2kW › easy to clean cooking surface › child safety lock › bevelled front edge

black (bevelled front edge) . . . . . .CH742 B



CH 64C

60CM TOUCH CONTROL HI-LIGHT CERAMIC HOB

Digital touch controls › easy to clean cooking surface › **4 hi-light rapid sprinter cooking zones** › 2 hi-light zone Ø 155mm 1.2kW › 1 hi-light zone Ø 220mm 2.3kW › 1 hi-light zones Ø 190mm 1.8kW › child safety lock - BLACK

CH630C

Digital touch controls › easy to clean cooking surface › **3 hi-light rapid sprinter cooking zones** › 1 hi-light zone Ø 155mm 1.2kW › 1 hi-light zone Ø 220mm 2.5kW › 1 hi-light zones Ø 190mm 1.8kW › child safety lock › Electronic timer - BLACK



CH 64MX

60CM HI-LIGHT CERAMIC HOB

Traditional high precision control knobs › 4 heat-on warning lights › easy to clean surface › **4 hi-light rapid sprinter cooking zones** › 1 hi-Light zone Ø 220mm 2.3 kW › 1 hi-light zone Ø 190mm 1.8 kW › 2 hi-light zones Ø 155mm 1.2 kW

stainless steel (front trim only) . . . . . CH 64MX

black (bevelled front edge) . . . . . .CH 64MB



HOBS / DOMINO HOBS

CDG 31/1SPX
GAS HOB

1 gas wok burner 3.5kW › flame failure device › enamel pan support › one touch ignition

CDG 32/1SPX
GAS HOB

2 gas burners › flame failure device › 1 ultra rapid burner 3.0kW › 1 auxiliary burner 1.0kW › one touch ignition › enamel pan support

stainless steel ..... CDG 31/1SPX, CDG 32/1SPX



CDH 32/1C
CERAMIC HOB

2 cooking zones › 1 zone 180mm 1.7kW › 1 zone 145mm 1.2kW › easy to clean surface, Touch control

stainless steel ..... CDH 32/1C



CDH 32/1X
CERAMIC HOB

2 cooking zones › 1 zone 180mm 1.7kW › 1 zone 145mm 1.2kW › easy to clean surface

stainless steel ..... CDH 32/1X



CDI 32/1B
INDUCTION HOB

Digital touch controls › 2 heat-on warning lights › easy to clean surface › 2 induction zones › 1 zone 160mm 1.4kW › 1 zone 200mm 2.3-3kW › cooking timer

Also available is a Ceramic Hob - CDH 32/1C with digital touch control › 2 cooking zones › 1 zone 180mm 1.7kW › 1 zone 145mm 1.2kW › cooking timer › child safety lock

black (bevelled edge) ..... CDI 32/1B

black (bevelled edge) ..... CDH 32/1C



HOBS / DOMINO HOBS

CDE 32/1X
ELECTRIC HOB

1 hotplate 180mm 1.5kW > 1 hotplate 145mm 1.5kW > 1 rapid zone > high precision control knobs

stainless steel ..... CDE 32/1X



CDVG 30/1X
GRIDDLE

Residual heat indicator > cooking zone 250x400mm 1.5kW > high precision control knob

stainless steel .....CDVG 30/1X



CDB 30/1X
BBQ

Cooking area 220x320mm 2.4kW > enamel support > adjustable temperature control

stainless steel ..... CDB 30/1X



CDF 30/1X
FRYER

Deep fat fryer 2.3kW > cooking basket > lid > adjustable temperature control

stainless steel ..... CDF 30/1X



HOODS

Candy's hoods whether chimney or decor style, in futuristic or more traditional design, incorporate the very latest electronic touch control technology. They offer great performance, high extraction rates, low noise levels and bright halogen hob and work surface illumination.

HALOGEN LIGHTS

Illuminate the hob with bright halogen lights - improving the whole cooking experience.



DECOR HOODS

Candy combines glass and stainless steel to enhance the overall impact of your kitchen.

EXTRACTION RATES

Candy hoods are amongst the quietest and most efficient available capable of removing most cooking odours effortlessly.

DECOR HOODS / ISLAND TUBE HOOD

CIDT 61 X
40CM ISLAND TUBE HOOD

Motor 250 W › Extraction flow rate 512 m^3/h › 4 speeds operated by electronic touch controls › 2 halogen lights › perimeter filteration › filter saturation indicator › timer › clean air function › charcoal filter optional extra

stainless steel .....CIDT 61 X



DECOR HOODS / ISLAND CUBE HOOD

CIDC 61 X
70CM ISLAND TUBE HOOD

Motor 250 W › extraction flow rate 705 m^3/h › electronic touch controls › 4 halogen lights › perimeter filteration › filter saturation indicator › timer › clean air function › charcoal filter

stainless steel .....CIDC 61 X



DECOR HOODS / TUBE HOOD

CDT 61 X
40CM TUBE DECOR HOOD

Motor 250 W › Extraction flow rate 512 m^3/h › 4 speeds operated by electronic touch controls › 2 halogen lights › filter saturation indicator › perimeter filteration › timer › Convertible: extraction or recirculation › Charcoal filter

stainless steel .....CDT 61 X



DECOR HOODS / CUBE HOOD

CDC 61 X
60CM CUBE DECOR HOOD

Motor 250 W › extraction flow rate 705 m^3/h › 3 speeds operated by push button controls › 2x20W halogen lights › perimeter filteration › Convertible: extraction or recirculation › Charcoal filter

stainless steel .....CDC 61X



DECOR HOODS / PLAN RANGE



CMB 950 X
90CM HOOD

Turbo motor 130 W › extraction flow rate 470 m³/h › 3 speeds operated by push button controls › 2 x 28W halogen lights › convertible: extraction or recirculation › washable metal grease filter › charcoal filters included

stainless steel .....CMB 950 X



DECOR HOODS / PLAN RANGE

CMB 650 X
60CM HOOD

Turbo motor 130 W › extraction flow rate 470 m³/h › 3 speeds operated by push button controls › 2 x 28W halogen lights › convertible: extraction or recirculation › washable metal grease filter › charcoal filters included

stainless steel .....CMB 650 X



DECOR HOODS

CVM 970 LX
90CM DECOR HOOD

Turbo motor 210 W › extraction flow rate 750 m³/h › 3 speeds operated by Electronic buttons › 2 LED lights › convertible: extraction or recirculation › washable metal grease filter › charcoal filters

stainless steel .....CVM 970 LX
Also available CVMI 970 LX Island Hood - 90cm
Also available CVM 670 LX Island Hood - 60cm



DECOR HOODS

CRD 93 X
90CM ROUND DECOR HOOD

Turbo motor 230 W › extraction flow rate 470 m³/h › 3 speeds operated by electronic controls › 2 x 20W halogen lights › timer › clean air function › convertible: extraction or recirculation › washable metal grease filter › charcoal filters

stainless steel .....CRD 93 X



DECOR HOODS

CCR 616/1X
60CM ROUND DECOR HOOD

Turbo motor 150 W › extraction flow rate 370m³/h › 3 speeds operated by slider controls › 2 x 28W halogen lights › convertible: extraction or recirculation › washable metal grease filter › charcoal filters

stainless steel .....CCR 616/1X



DECOR HOODS

CGM 91/1X
90 & 60CM GLASS DECOR HOOD

Turbo motor 150 W › extraction flow rate 370 m³/h › 3 speeds operated by push button control › tempered safety glass › 2 x 20W halogen lights › convertible: extraction or recirculation › washable metal grease filter › charcoal filters included

Also available in 60cm - CGM 61/1X



CHIMNEY HOODS

CCE 19/2X
90 CHIMNEY HOOD

Turbo motor 150W › extraction flow rate 370m³/h › 3 speeds operated by push button controls › 2x 28W halogen lights › convertible: extraction or recirculation › washable metal grease filters › charcoal filters

stainless steel



CHIMNEY HOODS

CCE 16/2X
90CM CHIMNEY HOOD

Motor 150W › extraction flow rate 370m³/h › 3 speeds operated by push button controls › 2x 28W halogen lights › convertible: extraction or recirculation › washable metal grease filters › charcoal filters

stainless steel



INTEGRATED HOODS

CBT 6240 X
60CM WIDE

Motor 150W › extraction flow rate 330m³/h › 3 speeds › 2 x 28W halogen bulbs › convertible: extraction or recirculating › acrylic filter / charcoal filter

Also available CBT 9240 X - 90cm



CANOPY HOODS

CBG 620 X
60CM WIDE

Motor 100W › extraction flow rate 165m³/h › 3 speeds operated by slider › 2 x 28W halogen bulbs › convertible: extraction or recirculation › acrylic filter › charcoal filter

Also available CBGB 640 X - 2 MOTORS , 165m³/h



CANOPY HOODS

CFT 62/2X
60CM WIDE

Motor 140W › extraction flow rate 320m³/h › 3 speeds operated by slider › 2 x 28W halogen bulbs › convertible: extraction or recirculation › aluminium filter › charcoal filter

Also available CFT 92/2X - 90cm



CONVENTIONAL HOODS

CFT 610/2SX
60CM WIDE

Motor 100W › extraction flow rate 160m³/h › 3 speeds › slider controls › 1 x 28W halogen bulbs › convertible extraction or recirculation › aluminium filter › charcoal filter

Also available CFT 910/2SX - 90cm

FUTURA 3
A+
CANDY

DISHWASHERS & HOME LAUNDRY

Candy's integrated laundry and dishwashers are an ingenious blend of styling and technology, offering an outstanding performance, they are extremely efficient and are exceedingly quiet.

Home Laundry

Large Load Capacity – The Candy CDB 754 integrated washer dryer is capable of handling a 7kg wash & 5kg dry load, perfect for busy families.

Dishwashers

The Eco CDI 22E10 dishwasher uses just 10 litres to wash a full load. The water is filtered and recirculated over 7,800 times to ensure an A rated wash performance, whilst maximising water usage.

The Candy CDI 3530/E dishwasher features a combination of 3 baskets and 14 place settings and provides additional valuable loading space in the top basket. The top basket is perfect for small coffee cups, saucers, side plates and cooking utensils.

All Candy dishwashers are rated A+ for energy efficiency and A for washing and drying performance.

TIME SAVING WASHING MACHINE

The CDB 754 is perfect for busy people - the rapid 59 minute programme means that you can wash and dry 3 garments in under an hour, perfect for those forgotten items.

SELF-CLEANING FILTER

Self-cleaning stainless steel filter: the stainless steel microfilter in Candy dishwashers keeps water constantly clean for maximum wash efficiency and an end of cycle jet of water expels any impurities trapped in the filter.



ADJUSTABLE BASKETS

Adjustable Baskets: the upper basket in Candy dishwashers are height adjustable and have a range of between 21 and 26 cm, giving the lower basket a range of between 26 and 31 cm.

FULLY INTEGRATED DISHWASHERS

CDIM 5756
FULLY INTEGRATED DISHWASHER

15 IEC place settings › 3 baskets › 12programmes › 7 level wash temperatures › 32 minute rapid programme › programme selection by button › half load button › adjustable upper basket › front access levelling facility › 1-23 hrs start delay › salt consumption light › balanced door › self-cleaning stainless steel micro filter › energy efficiency class A+++ › wash efficiency class A › drying efficiency class A › **MAXI PLATES**



CDI 2112
FULLY INTEGRATED DISHWASHER

10 litre water consumption › 12 IEC place settings › 6 programmes › 5 wash temperature levels › 32 minute rapid programme › programme selection by button › adjustable upper basket › washing phase idicator › delay start 3, 6, 9 hr › salt refill idicator › balanced door › self-cleaning stainless steel micro filter › energy efficiency class A++ › wash efficiency class A › drying efficiency class A



CDI 1010/3-S
FULLY INTEGRATED DISHWASHER

12 place settings › 5 programmes › 4 wash temperature levels › 32 minute rapid programme › water softener settings › balanced door › adjustable upper basket › self-cleaning micro filter › energy efficiency class A+ › wash efficiency class A › drying efficiency class A



INTEGRATED DISHWASHER

CDS 420X-S
SEMI INTEGRATED DISHWASHER

12 place settings › **7 programmes** › **5 wash temperature levels** › **32 minute rapid programme** › adjustable upper basket › self-cleaning micro filter › half load button › balanced door › salt indicator light › energy efficiency class A+ › wash efficiency class A › drying efficiency class A

stainless steel fascia .....CDS 420X
black fascia .....CDS 420N
white fascia .....CDS 420W



FULLY INTEGRATED SLIMLINE DISHWASHER

CDI 10D75X
45CM FULLY INTEGRATED DISHWASHER

10 IEC place settings › LED digital display › **7 programmes** › **5 wash temperature levels** › adjustable upper basket › 1~23 hour start delay › programme selection button › intensive wash programme › rapid programme › self-cleaning micro filter › energy efficiency class A+ › washing efficiency class A › drying efficiency class A



CDCI 6X
BUILT IN COMPACT DISHWASHER

6 IEC place settings › **6 programmes** › **6 wash temperatures** › rapid wash programme › start delay › 7 litre water consumption › stainless steel door › energy efficiency class A+ › wash efficiency class A › drying efficiency class A

stainless steel door .....CDCI 6X



FULLY INTEGRATED WASHER DRYER

CDB 854DN
FULLY INTEGRATED WASHER DRYER

1400rpm › **8kg wash and 5kg drying capacity** › stainless steel drum assembly › 16 wash programmes › **fuzzy logic** › KG mode › LED display › rapid 14, 30 and 44 minute programmes › start delay (up to 23 hours) › digital countdown indicator › mixed wash programme › delicate/hand wash programme › stain buster button › automatic variable capacity › **3 drying programmes** › high dry button › cold fill only › adjustable feet › class BAA



white

CDB 754 ND/1
FULLY INTEGRATED WASHER DRYER

1400 r.p.m. › **7kg wash and 5kg drying capacity** › stainless steel drum assembly › 16 wash programmes **Fuzzy Logic** › start delay (up to 23 hours) › LED display › digital countdown indicator › rapid 14, 30 & 44 minute programme › mixed wash programme › delicates/ hand wash programme › stain buster button › allergy care button › automatic variable capacity › **2 dry programmes** › high dry button › cold fill only › adjustable feet › class AAA



white

CDB 264N
FULLY INTEGRATED WASHER DRYER

1200 r.p.m. › 6kg wash and 4kg drying capacity › stainless steel drum assembly › 12 wash programmes › 32 minute wash programme › 2 drying programmes › fuzzy logic › start delay (up to 9 hours) › automatic variable capacity › variable thermostat › stain buster button › high dry button › drying time selection control › oval tub › crease free final cool tumble › cold fill only › fast iron button › cupboard dry ironing › adjustable feet › energy efficiency class BAB



white

FULLY INTEGRATED WASHING MACHINE

CWB 814 DN1

FULLY INTEGRATED WASHING MACHINE

1400rpm › **8kg wash capacity** › **stainless steel drum assembly** › 12 wash programmes › LED display › rapid 14 minute programmes › start delay (up to 24 hours) › digital countdown indicator › pre-wash programme › mixed wash programme › delicate/hand wash programme › stain vanish button › automatic variable capacity › adjustable feet › energy efficiency class A+



CWB 1372DN1-S

FULLY INTEGRATED WASHING MACHINE

1300 r.p.m. › **7kg wash capacity** › **stainless steel drum assembly** › 16 programmes › rapid 32 minute programmes › LED display › digital countdown indicator › start delay 3, 6, 9 hours) › fuzzy logic › pre-wash programmes › mixed wash programme › delicate/ hand wash programme › stain buster button › easy iron button › Aquaplus button › automatic variable capacity › cold fill only › adjustable feet › energy efficiency class A+



CWB 1062DN1-S

FULLY INTEGRATED WASHING MACHINE

1000 r.p.m. › 6kg wash capacity › stainless steel drum assembly › 16 programmes › 32 minute wash programme › start delay 3, 6, 9 hours) › fuzzy logic › pre-wash programme › half load option › automatic variable capacity › variable thermostat › variable spin speed › Aquaplus button › cold wash › easy iron button › easy iron › cold fill only › adjustable feet › energy efficiency class A+



☐ white

REFRIGERATION

From modern compact fridges to large capacity fridge freezers our integrated appliances will co-ordinate with any kitchen setting. Whether it's frost free technology or simply an extra large integrated fridge you require we have a range of innovative cooling products to suit every requirement.

Energy Efficiency

All Candy refrigeration are rated A+ for energy efficiency.

Candy Frost Free Fridge Freezers prevent frost formation in the freezer section, which means never having to defrost the freezer.

MAINTAINS CONSTANT TEMPERATURE

Candy's 'turbo cooling' feature ensures even temperature distribution throughout the refrigerator.

VERSATILE STORAGE SOLUTIONS

Adjustable shelving allows large or bulky items to be stored safely.

GLASS SHELVING

Easy care glass shelving ensures maximum hygiene.

FULLY INTEGRATED FRIDGE FREEZER / REFRIGERATION

CXSE 7204

FROST FREE SIDE BY SIDE FRIDGE FREEZER

Freezer rating. **** › total net capacity 537 litres › net refrigerator capacity 345 litres › net freezer capacity 192 litres › electronic control › energy efficieny class A+ › climate class SN-ST › dimensions H X W X D 1757 x 890 x 681

Refrigerator

4 adjustable glass shelves › 5 door shelves › 2 pull out refrigerator drawers with humidity control

Freezer

3 glass shelves › 5 door shelves › 3 transparent freezer drawers

silver .....CXSE 7204



CFFO 3550 E + CFLO 3550 E

FRIDGE FREEZER - use as Side By Side

Freezer : **** › total gross capacity 228 litres › net freezer capacity 217 litres › 24 hr freezing capacity 10.5 kg › climate class ST › energy efficiency class A+ › 9 drawers › manual defrosting › reversible doors ›

Fridge : Total gross capacity 319 litres › net fridge capacity 316 litres › 2 vegetable / fruit storage › climate class ST › energy efficiency class A+ › 5 glass shelves › Automatic defrosting › reversible doors ›



FULLY INTEGRATED FRIDGE FREEZER / REFRIGERATION

CKBC 3180 E UK
FRIDGE FREEZER - COMBI

Freezer rating. **** › total gross capacity 281 litres › net refrigerator capacity 203 litres › net freezer capacity 60 litres › 24 hr freezing capacity 3 kg › climate class ST › energy efficiency class **A+** › automatic defrosting (fridge) › reversible doors › 3 freezer drawers › SKYLED light › SKYFAN - TURBOCOLD › 3 adjustable Glass shelves › metal Bottle holder › 3+1 door shelves › 1 crisper ›



CKBC 3150 E UK
FRIDGE FREEZER - COMBI

Freezer rating. **** › total gross capacity 281 litres › net refrigerator capacity 203 litres › net freezer capacity 60 litres › 24 hr freezing capacity 3 kg › climate class ST › energy efficiency class **A+** › automatic defrosting (fridge) › reversible doors › 3 freezer drawers › SKYLED light › 3 adjustable Glass shelves › 3+1 door shelves › 1 crisper ›



FULLY INTEGRATED FRIDGE FREEZER / REFRIGERATION

CFBF 3050 EK

FROST FREE SIDE BY SIDE FRIDGE FREEZER

Freezer rating. **** › total gross capacity 281 litres › net refrigerator capacity 203 litres › net freezer capacity 60 litres › 24 hr freezing capacity 3 kg › climate class ST › energy efficiency class **A+** › automatic defrosting (fridge) › reversible doors › 3 freezer drawers › SKYLED light › SKYFAN - TURBOCOLD › 3 adjustable Glass shelves › metal Bottle holder › 3+1 door shelves › 1 crisper ›

silver .....CXSE 7204



CFBO 3580 E

FRIDGE FREEZER - LARDER

Total gross capacity 306 litres › net refrigerator capacity 254 litres › net freezer capacity 40 litres › 24 hr freezing capacity 2 kg › climate class ST › energy efficiency class **A+** › automatic defrosting (fridge) › reversible doors › 3 freezer drawers › TURBOCOLD › 4 adjustable Glass shelves › 6 door shelves › 1 crisper › single door



FULLY INTEGRATED FRIDGE FREEZER / REFRIGERATION

CFBD 2650 E

FRIDGE FREEZER - 2 Door

Freezer rating. **** › total gross capacity 263 litres › net refrigerator capacity 204 litres › net freezer capacity 56 litres › 24 hr freezing capacity 4 kg › climate class ST › energy efficiency class A+ › 3 adjustable glass shelves › 4 door shelves › 1 crisper › automatic defrosting (fridge) › reversible doors ›



CFBD 2450/2E

FRIDGE FREEZER - 2 Door

Freezer rating. **** › total net capacity 220 litres › net refrigerator capacity 179litres › net freezer capacity 41 litres › 24 hr freezing capacity 2 kg › climate class ST › energy efficiency class A+ › 3 adjustable glass shelves › 3 door shelves › 1 crisper › automatic defrosting (fridge) › reversible doors ›



FULLY INTEGRATED FRIDGE / REFRIGERATION

CIO 225 E
REFRIGERATOR

Freezer rating. **** › total net capacity 205 litres › net refrigerator capacity 182 litres › net freezer capacity 18itres › 24 hr freezing capacity 2 kg › climate class ST › energy efficiency class A+ › 3 adjustable glass shelves › 4 door shelves › 1 crisper › automatic defrosting (fridge) › reversible doors ›



FULLY INTEGRATED LARDER FRIDGE / REFRIGERATION

CBL 150 E
BUILT-IN LARDER FRIDGE

Total gross capacity 140 litres (4.95 cu.ft) › net refrigerator capacity 138 litres › climate class ST › energy efficiency class A+ › automatic defrosting › 2 adjustable glass shelves › reversible door › 2 crispers › 2 door shelves



FULLY INTEGRATED FRIDGE / REFRIGERATION

CBO 150 E
BUILT-UNDER REFRIGERATOR

Freezer rating. **** › total gross capacity 125 litres › net refrigerator capacity 106 litres › net freezer capacity 17 litres › climate class ST › energy efficiency class A+ › automatic defrosting (fridge) › 1 adjustable glass shelves › reversible door › 2 crispers › 2 door shelves › 24hr freezing capacity 2Kg



FULLY INTEGRATED FRIDGE / REFRIGERATION

CRU 164 E
BUILT-UNDER REFRIGERATOR

Freezer rating. ******* › total gross capacity 119 litres › net refrigerator capacity 100 litres › net freezer capacity 17 litres › climate class N/ST › energy efficiency class A+ › automatic defrosting (fridge) › 1 adjustable glass shelves › reversible door › 2 crisper › 2 door shelves › 24hr freezing capacity 2Kg



FULLY INTEGRATED LARDER FRIDGE / REFRIGERATION

CRU 160 E
BUILT-UNDER LARDER FRIDGE

Total gross capacity 135 litres › net refrigerator capacity 133 litres › climate class N/ST › energy efficiency class A+ › automatic defrosting › 2 adjustable glass shelves › reversible door › 1 crisper › 2 door shelves



FULLY INTEGRATED FREEZER / REFRIGERATION

CFU 130 E
BUILT-UNDER FREEZER

Freezer rating. ******* › total gross capacity 103 litres (3.6 cu.ft) › net freezer capacity 97 litres (3.4 cu.ft) › 24 hr freezing capacity 6 Kg › climate class N/ST › energy efficiency class A+ › reversible door › manual defrosting › on/off - green light › fast freeze - yellow light › freezer warning - red light





WINE COOLERS / REFRIGERATION

CCVB 110T
BUILT-IN WINE COOLER

60cm wide › total capacity 110 litres › stores 24 bottles › 8 wooden shelves › blue LED light › adjustable temperature control 4-18 C



CCVB 120
BUILT-IN WINE COOLER

60cm wide › total capacity 120 litres › stores 35 bottles › LED display › 4 telescopic wooden shelves › blue LED light › adjustable temperature control 4 - 18^{0}C



CCVB 60UK
BUILT-IN WINE COOLER

30cm wide › total capacity 57 litres › stores 12 bottles › 4 wooden shelves › LED display › light › adjustable temperature control 4 - 18^{0}C › front vent › adjustable feet



CCVB 25T UK
BUILT-IN WINE COOLER

15cm wide › Total gross capacity 20 litres › stores 7 bottles › LED display with light › adjustable temperature control from 8 - 22^{0}C transparent glass door › front vent



TECHNICAL SPECIFICATIONS / OVENS

New code	33701291	33701290	33701268	33701254	33701181	33701246
Model	FVPE 729/6 X disp	FVPE702/6X disp	FET 609 X	FPE 609/6 X	FPE 602/6 X	FPE 502/6 X
New EAN	8016361879133	8016361879126	8016361878907	8016361877139	8016361869745	8016361876675
Colour	Inox	Inox	Inox	Inox	Inox	Inox
Brand	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY
Energy Class	A-20%	A-20%	A-20%	A-20%	A-20%	A-20%
KWh (natural convection)	0,90	0,90	0,90	0,90	0,90	0,90
KWh (ventilated)	0,80	0,80	0,80	0,80	0,80	0,80
Cavity volume (ltr)	69	65	69	65	65	65
Total Power (W)	2100	2100	2100	2100	2100	2100
(Hz)	50	50	50	50	50	50
User interface	Digtial timer touch display	Mechanical minute minder 60min	Digitial timer touch display	Digtial timer touch display	Mechanical minute minder 60min	Mechanical minute minder 60min
2 Knobs						
3 Knobs		X			X	X
Electronic 1 Display (preset temperature)						
Touch display	X		X	X		
Type (Static, Fan, Fan Assisted, Multifunction)	Fan Assisted	Fan Assisted	Fan Assisted	Fan Assisted	Fan Assisted	Fan Assisted
External Ventilation Syst	X	X	X	X	X	
Platform (A Class Clean,	ACC	ACC	ACC	ACC	ACC	ACC
Internal Light	U-SEE 14 leds	U-SEE 14 leds	Lamp	Lamp	Lamp	Lamp
N of functions	9	9	9	8	8	5
List of functions	Lamp, Static (Bottom+Top), Grill, Defrost, Grill+Fan, Bottom+Fan, Fan Assisted (Bottom+Top+Fan), Pizza	Lamp, Static (Bottom+Top), Grill, Defrost, Grill+Fan, Bottom+Fan, Fan Assisted (Bottom+Top+Fan), Pizza	Lamp, Static (Bottom+Top), Grill, Defrost, Grill+Fan, Bottom+Fan, Fan Assisted (Bottom+Top+Fan), Pizza, Soft Cook	Lamp, Defrosting, Fan Assisted (Bottom+Top+Fan), Grill+Fan, Bottom+Fan, Static (Bottom+Top), Grill, Pizza	Lamp, Defrosting, Fan Assisted (Bottom+Top+Fan), Grill+Fan, Bottom+Fan, Static (Bottom+Top), Grill, Pizza	Lamp, Static (Bottom+Top), Grill, Grill+Fan, Fan Assisted (Bottom+Top+Fan)
Control Panel	Inox panel antifinger	Inox panel antifinger	Inox panel antifinger	Inox panel antifinger	Inox panel antifinger	Inox panel antifinger
Display	Touch		Touch	Touch		
Inner Door	2 layers	2 layers	2 layers	2 layers	2 layers	2 layers
Aesthetic	Pop EVO	Pop EVO	SOFT CLOSE	Pop EVO	Pop EVO	Pop EVO
Handle Type	Inox Plan	Inox Plan	Elite	Inox Plan	Inox Plan	Inox Plan
Cat. Panels			Chromed/Anodized			
Lateral Wire Grids	X		X			
Telescopic Guides	X					
Turnspit						
15 mm Tray	1					
35 mm Tray	1	1	1	1	1	1
Grids	1	2	2	2	2	2
special functions	U SEE DEMO					
special functions	AQUACTIVA	U SEE DEMO		AQUACTIVA		

TECHNICAL SPECIFICATIONS / OVENS

New code	33701180	33701286	33701301	33701062	33701061
Model	FST 100/6 X	FST 249/6 X	FCL614/6X	FHL647/1X	FHL623/1X
New EAN	8016361869738	8016361879089	8016361879294	8016361858084	8016361858077
Colour	Inox	Inox	Inox	Inox	Inox
Brand	CANDY	CANDY	CANDY	Candy	Candy
Energy Class	A-20%	A-20%	A-20%	A	A
KWh (natural convection)	0,80	0,80	0,90		
KWh (ventilated)	0	0	0,80		
Cavity volume (ltr)	65	65	65	66	66
Total Power (W)	2300	2100		2200	2200
(Hz)	50	50	50	50	50
User interface	2 knobs	Timer Touch			
2 Knobs	X		X		
3 Knobs Minute					X
Electronic 1 Display (preset temperature)		X			
Touch display				X	
Type (Static, Fan, Fan Assisted, Multifunction)	Static	Static	Fan Assisted	Fan Assisted	Fan Assisted
External Ventilation Syst		X	X	x	x
Platform (A Class Clean, Pirolitic)	ACC	ACC	ACC	A	A
Internal Light	Lamp	Lamp	Lamp	2 Lamps	2 Lamps
N of functions	4	5	8	5	5
List of functions	Lamp, Bottom+Top, Bottom, Grill	Lamp, Static (Bottom+Top), Grill, Grill+Turnspit, Bottom+Top+Turnspit	Lamp Defrost Fan Assisted Grill + Fan Bottom + Fan Bottom + Top Grill Pizza	Lamp - Static - Fan Assisted - Grill - Grill + Fan	Lamp - Static - Fan Assisted - Grill - Grill + Fan
Control Panel	Inox panel standard	Inox panel standard	Inox	Inox	Inox
Display		Touch	Analogic		
Inner Door	2 layers	2 layers	2 layers	3 layers	3 layers
Aesthetic	Smart	Smart	Classic	Fashion	Fashion
Handle Type	Inox Plan Light	Inox Plan Light	Classic Inox	Lateral Inox	Lateral Inox
Cat. Panels		X			
Lateral Wire Grids				X	X
Telescopic Guides					
Turnspit		X			
15 mm Tray					
35 mm Tray	1	1	1	1	1
Grids	1	2	2	2	2
special functions					
special functions				reversable hinges	reversable hinges

TECHNICAL SPECIFICATIONS / OVENS

New code	33701064	33701071	33701067	33701056	33701065	33701057	33701058
New description	FNP319/1X	FPG2019/1XG	FPG390/1X	OVG505/3X	FPG202/1XG	FLG203/1X	FLG202/1X
New EAN	8016361858107	8016361858343	8016361858282	8016361858022	8016361858176	8016361858039	8016361858039
Colour	Inox	Inox	Inox	Inox	Inox	Inox	Inox
Brand	Candy	Candy	Candy	Candy	Candy	Candy	Candy
Cavity volume (ltr)	Net 84/ Gross 93	Net 84/ Gross 93	Net 84/ Gross 93	Net 54 / Gross	Net 55/ Gross 66	Net 55 / Gross	Net 55 / Gross
Total Power (W)	3500	100	1800	50	50	1200	1200
(Hz)	50-60	50-60	50-60	50-60	50-60	50-60	50-60
2 Knobs							
3 Knobs Minute Minder 60'			X	X	X	X	X
3 Knobs End Cooking	X						
Electronic 1 Display		X					
Type	MULTIFUNCTION ELECTRIC	GAS OVEN - GAS GRILL	GAS OVEN - ELECTRIC	GAS OVEN - GAS GRILL -	GAS OVEN - GAS GRILL	GAS OVEN - ELECTRIC	GAS OVEN - ELECTRIC
External Ventilation	X	X	X	X	X	X	x
Cavity	Wire Grids	Wire Grids	Wire Grids	wire grids	embossed	embossed	embossed
Platform (A Class Clean, Pirolitic)	-	-	-	-	-	-	-
Internal Light	2 Lamps	2 Lamps	2 Lamps	Lamp	Lamp	Lamp	Lamp
N of functions	10	4	5	4	4	5	3
List of functions	Bottom - Static - Fan assisted - Multifunction - Grill - Maxi Grill - Grill + Fan - Grill + Turnspit - Defrosting - Pizza	Lamp - Gas - Grill + Gas - Grill gas + Turnspit	Lamp - grill - grill+tunspit - Gas - Gas + turnspit	Lamp - Gas - Gas + Fan - Grill gas	Lamp - gas - grill + gas - grill gas + turnspit	Lamp - grill - grill+tunspit - Gas - Gas + turnspit	Lamp - Grill - Gas
Control Panel	Inox	Inox	Inox	Inox	Inox	Inox	Inox
Display	-	-	-	-	-	-	-
Knobs	Inox color	Inox color	Inox color	Inox color	Inox color	Inox color	Inox color
Inner Door	3 glasses	2 glasses	2 glasses	2 glasses	2 glasses	2 glasses	2 glasses
Outer Door	Transparent glass	Trasparent glass	Transparent glass	Transparent glass	Transparent glass	Transparent glass	Trasparent glass
Aesthetic	Pop	Pop	Pop	Pop	Pop	Pop	Pop
Handle Type	Inox Plan	Inox Plan	Inox Plan	Inox Plan	Inox Plan	Inox Plan	Inox Plan
Lateral Wire Grids	X	X	X	X			
Turnspit	X	X	X		X	X	
30 mm Tray	2	1	2	1	1	1	1
Grids	1	1	2	2	1	1	1

TECHNICAL SPECIFICATIONS / MICROWAVE OVENS

Brand	CANDY	CANDY	CANDY
Type	Frameless	Frameless	Frameless
Model	MIC25GDFX	MICG25GDFN	MIC20GDFX
Candy Code	38900033	38900049	38900035
Candy EAN code	801636182344	801636187624	801636182346
Family	Built-in	Built-in	Built-in
Oven Capacity	25L	25L	20L
Built-in frame	none	none	none
Front Door Type	Push button	Push button	Push button
Front exterior	RAL brushed steel 5%	Black acrylic	RAL brushed steel 5%
Buttons & knobs color	Silver color	no	Silver color
Top and Side outer walls	Black painted	Metal Silver	Black painted
Back panel color	Black enamel	Black enamel	Black enamel
Cavity of Oven	SUS 430	SUS 430	SUS 430
Sealed digital screen	YES	YES	YES
Glass Turntable	YES	YES	YES
Turntable Diameter	315mm	315mm	245mm
Door Release Button	YES	YES	YES
Metal Rack	YES	YES	YES
Grill Heater	YES	YES	YES
Fan cooling	1	1	1
Fan heating	NO	NO	NO
Roller Ring	YES	YES	YES
Door Safety Lock System	YES	YES	YES
Input Power (microwave) -	1450W	1450W	1250W
Input Power (grill)	1000W	1000W	1000W
Output Power (microwave)	900W	900W	800W
Convection Power	NO	NO	NO
Electric Supply	230 V 50 Hz	230 V 50 Hz	230 V 50 Hz
Operation Frequency	2450 MHz	2450 MHz	2450 MHz
Oven Cavity dimensions	369*330*208m	T.B.C	315.8*295*218
Oven Outer dimensions	440*594*388m	T.B.C	345*594*388m
Oven Cabinet Dimensions	500*560*380m	T.B.C	340*560*380m
Frame dimensions	20*594*388m	25*595*388	20*594*388m
Box dimensions	500*653*466m		404*650*445m
Oven Net Weight	Approx 17.10	Approx 17.10	Approx 15.00
Oven gross weight	Approx	Approx	Approx
Function list			
Cooking preset	x	x	x
Microwave cooking	x	x	x
Grill or Combination cooking	x	x	x
Defrost by weight	x	x	x
Defrost by time	x	x	x
Auto reheat	x	x	x
Auto Menu			
A-1 Pizza	1	Pizza	1
A-2 Potato	2	Meat	2
A-3 Meat	3	Vegetable	3
A-4 Fish	4	Pasta	4
A-5 Vegetable	5	Potato	5
A-6 Beverage	6	Fish	6
A-7 Pasta	7	Beverage	7
A-8 Popcorn	8	Popcorn	8
A-9 Chicken	9		9
A-10 Reheat	10		10
Power List			
Microwave 100%	900W	900W	800W
Microwave 80%	720W	720W	640W
Microwave 50%	450W	450W	400W
Microwave 30%	270W	270W	240W
Microwave 10%	90W	90W	80W
Grill	1000W	1000W	1000W
C-1	Microwave 495W+Grill	Yes	Microwave 440W+Grill
C-2	Microwave 324W+Grill	Yes	Microwave 288W+Grill

Model	MIC440TX	MIG440TX
Code	38000152	38900045
EAN	8016361823495	8016361866393
Brand	Candy	Candy
Oven Capacity (lt)	44LT	44LT
Features		
Microwave Output	900W	900W
Input Voltage/Hertz	230V 50Hz	230V 50Hz
Input	16A 3350W	16A 3350W
Grill upper type	Sheath	Sheath
Grill upper power (W)	1750W	1750W
Grill bottom type	Sheath	Sheath
Grill bottom power (W)	600W	600W
Convection position	Rear	-
Convection Levels	1750W	-
Power Levels	5(microwave)	5(microwave)
Auto menus	13	2
Electronic / mechanical	Electronic	Electronic
Digital Clock	yes	yes
Digital Timer	yes	yes
Defrost	2	2
Glass/enamelled	Enamel tray	Enamel tray
Diameter (mm)	360	360
End Cooking Signal	yes	yes
Child Saftey Lock	yes	yes
Appearance		
Interior Cavity	Stainless Steel	Stainless Steel
Control panel	Stainless steel	Stainless steel
Width	594mm	594mm
Height	100mm	100mm
Display	Green LED	Green LED
Type	Touch+Dial	Touch+Dial
Door	Glass+stainless steel	Glass+stainless steel
Width	594mm	594mm
Height	348.5mm	348.5mm
Appearance	Stainless stell+Glass	Stainless stell+Glass
Open Type	Pull Down	Pull Down
Weights and		
Net Weight (kg)	35	35
Gross Weight (kg)	40	40
Product dimensions	594*455*568	594*455*568
Product cavity (WxHxD	420*250*420	420*250*420
Carton Box (WxHxD	670*550*700	670*550*700

TECHNICAL SPECIFICATIONS / 90CM , 75CM, 60CM HOBS

Model	PG953/1X / PG953/1SX	PG952/1SXGH	PG960/1SXGH	CPG75SQGX	CPG74SQGX	PV640 X	PV750SN
Brand	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY
Product Code (Candy internal)	33801150/3380	33801149	33801152	33801228	33801231	33800200	33800206
Color of Plate	inox	inox	inox	Inox	Inox	Black/Inox	Black/Inox
Color of Knobs	inox	inox	inox	Inox	Inox	Black/Inox	Black/Inox
Dimensions of the product (mm)	909x510x50	909x510x50	909x510x50	510 x 750 x 10	510 x 750 x 10	510X595X46	510X745X50
Dimensions of the niche (mm)	480x840	480x840	480x840	480 x 560 x 35	480 x 560 x 35	480 x 560	480 x 560
Security	NO / YES	YES	YES	Yes	Yes	YES	YES
Type of Grids	enamelled	cast iron	cast iron	Cast Iron	Cast Iron	enamelled	enamelled
Total Power Kw	11 Kw	9,75 Kw	12,25 Kw	11.75 Kw	9.25 Kw	8.5 Kw	12 Kw
Number of Burners	5	5	6	5	4	4	5
Location of 1st Burner	Front Left	Front Left	Front Left	Front Left	Front	Front Left	Front Left
Type	SR	SR	SR	AX	AX	SEMIRAPID	SEMIRAPID
Power	1,75 Kw	1,75 Kw	1,75 kw	1 Kw	1 Kw	1.75	1.75 Kw
Location of 2nd Burner	Front Right	Front Right	Front Center	Front Right	Right	Front Right	Front Right
Type	AUX	AUX	SR	SEMIRAPID	RAPID	SEMIRAPID	SEMIRAPID
Power	1 Kx	1 Kw	1,75 kw	1.75 Kw	2,5 Kw	1.75 Kw	1.75 Kw
Location of 3rd Burner	Back Right	Back Right	Front Right	Back Right	Back	Back Right	Back Right
Type	R	SR	AUX	RAPID	SEMIRAPID	RAPID	RAPID
Power	3 Kw	1,75 Kw	1 kw	2,5 Kw	1.75	2.5 Kw	2.5 Kw
Location of 4th Burner	Back Left	Back Left	Back Left	Back Right	Left	Back Left	Back Left
Type	SR	SR	R	RAPID	4RINGS	RAPID	RAPID
Power	1,75 Kw	1,75 Kw	3 Kw	2,5 Kw	4,0 Kw	2.5 Kw	2.5 Kw
Location of 5th Burner	Center	Center	Back Center	Center			Center
Type	3 Q	3 Q	SR	4RINGS			4RINGS
Power	3,5 Kw	3,5 Kw	1,75 Kw	4,0 Kw			3,5 Kw
Location of 6th Burner			Back Right				
Type			R				
Power			3 Kw				

Model	CPG64SP X/N/B	CPG64SGX	CPG64SQGX	PLE 64 X	CLG631SPX	CLG64PX	CLG64SPX /SGX
Brand	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY
Product Code (Candy internal)	33801206/3380	33801207	33801222	33800724	33800963	33800967	33800970/3380
Color of Plate	Inox/Black/Whit	Inox/Black/Whit	Inox	Inox	Inox	Inox	Inox
Color of Knobs	Inox/Black/Whit	Inox/Black/Whit	Inox	Black - Knob	Black	Black	Black
Dimensions of the product (mm)	510 x 595 x10	510 x 595 x10	510 x 595 x10	510 x 585 x 37	510X585X82	510X585X13	510X585X13
Dimensions of the niche (mm)	480 x 560 x 35	480 x 560 x 35	480 x 560 x 35	480 x 560	480 x 560	480 x 560 x 40	480 x 560 x 40
Security	Yes	Yes	Yes		YES	NO	YES
Type of Grids	Enamelled	Cast Iron	Cast Iron		Enameled	Enameled	Enameled/Cast
Total Power Kw	7	7	9.25	8.2	6.9	7.1	7.1
Number of Burners	4	4	4	4 Hot Plates	4	4	4
Location of 1st Burner	Front Left	Front Left	Front Left	Front Left	Front Left	Front Left	Front Left
Type	AX	AX	AX	Hot Plate	RAPID	RAPID	RAPID
Power	1 Kw	1 Kw	1 Kw	1.5	2.7	2.7	2.7
Location of 2nd Burner	Front Right	Front Right	Front Right	Front Right	Front Right	Front Right	Front Right
Type	SEMIRAPID	SEMIRAPID	SEMIRAPID	Hot Plate	AX	AX	AX
Power	1.75	1.75	1.75	2	1	1	1
Location of 3rd Burner	Back Right	Back Right	Back Right	Back Right	Back Right	Back Right	Back Right
Type	SEMIRAPID	SEMIRAPID	RAPID	Hot Plate	SEMI-RAPID	SEMI-RAPID	SEMI-RAPID
Power	1.75	1.75	2,5 Kw	1.5	1.7	1.7	1.7
Location of 4th Burner	Back Left	Back Left	Back Left	Back Left	Back Left	Back Left	Back Left
Type	RAPID	RAPID	4RINGS	Hot Plate	HOTPLATE	SEMI.RAPID	SEMI.RAPID
Power	2,5 Kw	2,5 Kw	4,0 Kw	2	1.5	1.7	1.7

TECHNICAL SPECIFICATIONS / INDUCTION, CERAMIC HOBS

Model	CH642B	CH64C	CH64X	CH630C	CH64MX
Brand	Candy	Candy	Candy	Candy	Candy
Product Code (Candy internal)	33801012	33801009	33801008	33801014	33801007
Electrical connection rating (W)	7000	6500	6500	5500	6500
Type of control setting devices	Touch Control	Touch Control	Touch Control	Touch Control	Knobs
Number of power levels	9	9	9	9	9
Location of control panel	Front	Front	Front	Front	Lateral
Basic surface material	Vitroceramic	Vitroceramic	Vitroceramic	Vitroceramic	Vitroceramic
Color of surface	Black	Black	Black	Black	Black
Type of frame	Front Candy Bevel	Cut Glass	Front Frame	Cut Glass	Front Frame
Color of frame	No	No	Inox	No	Inox
Dimensions of the product (mm)	590x520	590x520	590x520	590x520	590x520
Dimensions of the niche (mm)	560x490	560x490	560x490	560x490	560x490
Number of radiants	4	4	4	3	4
Location of 1st heating element	Front Left	Front Left	Front Left	Front Left	Front Left
Dimension of 1st heating element (mm)	155	155	155	190	155
Power of 1st heating element (W) Max	1200	1200	1200	1800	1200
Location of 2nd heating element	Bottom Left	Bottom Left	Bottom Left	Bottom Left	Bottom Left
Dimension of 2nd heating element (mm)	130/220	220	220	155	220
Power of 2nd heating element (W) Max	750+1450	2300	2300	1200	2300
Location of 3rd heating element	Bottom Right	Bottom Right	Bottom Right	Center Right	Bottom Right
Dimension of 3rd heating element (mm)	190	155	155	250	190
Power of 3rd heating element (W) Max	1800	1200	1200	2500	1800
Location of 4th heating element	Front Right	Front Right	Front Right		Front Right
Dimension of 4th heating element (mm)	190	190	190		155
Power of 4th heating element (W) Max	1800	1800	1800		1200
Power on indicator	Yes	Yes	Yes	Yes	Yes
Special Function	child lock	child lock	child lock	child lock	NO
Electronic timer	yes			yes	

Model	CFID36	CI640C	CI640CBA/1	CH 95 CA	CH742B
Brand	Candy	Candy	Candy	Candy	Candy
Product Code (Candy internal)	33801148	33800842	33801203	33801323	33801017
Electrical connection rating (W)	7200 W	7000	3Kw - management	8100	7600
Type of control setting devices	New Prisma	Touch Control	Touch Control	Touch	Touch Control
Number of power levels	15	9	9	9	9
Location of control panel	Front	Front	Front	Frontal	Front
Basic surface material	Vitroceramic	Vitroceramic	Vitroceramic	Vitroceramic	Vitroceramic
Color of surface	Black	Black	Black	Black	Black
Type of frame	1 Front bevel	Cut Glass	Cut Glass	no	Front Candy Bevel
Color of frame	NO	-	-	No	No
Dimensions of the product (mm)	590x520	590x520	590x520	900 x 510	770x520
Dimensions of the niche (mm)	560x480x52	560x490x52	560x490x52	880 x 490	560x490
Number of radiants	**INDUCTION** : 2 + continuum zone	INDUCTION : 4	INDUCTION : 4	5	4
Location of 1st heating element	Front left	Front Left	Front Left	Front Left	Front Left
Dimension of 1st heating element (mm)	200	180	180	145	190
Power of 1st heating element (W) Max	1500/2000 W	1.5	1.5	1200 W	1800
Location of 2nd heating element	Back Left	Bottom Left	Bottom Left	Back Left	Bottom Left
Dimension of 2nd heating element (mm)	200	180	180	170/265	130/220
Power of 2nd heating element (W) Max	1500/2000 W	2.0	2.0	1400/2200 W	750+1450
Location of 3rd heating element	Front: 3000 W [B] -	Bottom Right	Bottom Right	Back Right	Bottom Right
Dimension of 3rd heating element (mm)		210	210	145	180/275
Power of 3rd heating element (W) Max		2.0	2.0	1200 W	900+1500
Location of 4th heating element		Front Right	Front Right	Front Right	Front Right
Dimension of 4th heating element (mm)		180	180	120/180	155
Power of 4th heating element (W) Max		1.5	1.5	750/1700 W	1200
Power on indicator	Yes	Yes	Yes	Yes	Yes
Special Function	Booster + Child Lock	NO	NO	Child lock, Residual heat indicator, Keep Warm	child lock
Location of 5th heating element				Central	
Dimension of 5th heating element (mm)				180	
Power of 5th heating element (W) Max				1800 W	
Electronic timer	all zone	4 zone	4 zone	Yes, with automatic	yes

TECHNICAL SPECIFICATIONS / 30CM DOMINO HOBS

Model	CDG31/1SPX	CDG32/1SPX	CDE32/1X	CDH32/1X	CDH32/1C	CDI32/1B	CDB30/1X	CDF30/1X	CDVG30/1X
Code	33801133	33801134	33801125	33801127	33801128	33801129	33801130	33801131	33801132
Brand	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY	CANDY
EAN code	80163618568	80163618569	80163618567	80163618567	80163618567	80163618567	80163618567	80163618568	80163618568
Description	1 gas triple flame	nr.2 gas burners	nr.2 electric plates	Vitroceramic w/knobs	Vitroceramic w/touch control	Induction	BBQ	Fryer	Grill
Electrical connection rating (kW)	0.6W	0.6W	3.0 kW	2,9 kW	2,9 kW	3.7 kW	2.4kW	2.3 kW	1.5kW
Power supply voltage (V)	230	230	230	230	230	230	230	230	230
Frequency (Hz)	50	50	50	50	50	50	50	50	50
Electrical cable	Lenght 1mt	Lenght 1mt	Lenght 1mt	Lenght 1mt	Lenght 1mt	Lenght 1mt	Lenght 1mt	Lenght 1mt	Lenght 1mt
Niche size for installation	270 x 494 x 45	270 x 494 x 45	270 x 494 x 45	270 x 494 x 45	268 x 490 x 39	268 x 490 x 53	270 x 494 x 50	270 x 494 x 155	270 x 494 x 45
Type of control setting device	Knobs	Knobs	Knobs	Knobs	Touch-control	Touch-control	Knob	Knobs	Knobs
Knobs colour	Inox	Inox	Inox	Inox	/	/	Inox	Inox	Inox
Frame color	/	/	/	inox	/	/	/	/	/
Hob color	Inox	Inox	Inox	Glass, black	Glass, black	Glass, black	Inox	Inox	Glass/Inox
Flame failure safety device	Yes	Yes							
Burners ignition	Under-knob	Under-knob							
Pan stands type	Enamelled	Enamelled					Enamelled		
Residual heat light			Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cooking timer					Yes	Yes			
Key lock					Yes	Yes			
Pan presence						Yes			
No. of cooking	1	2	2	2	2	2	1	1	1
1st cooking zone location	central	front	front	front	front	front	central	central	central
1st cooking zone specification	Wok burner	Auxiliary burner	Rapid electric plate	Mono circuit vitroc. plate	Mono circuit vitroc. plate	Mono circuit - Induction plate	Barbecue	Fryer (2,0 - 2,7lt)	Vitroceramic grill
1st cooking zone	3.5kW	1.0kW	1.5kW	1.2 kW	1.2 kW	1400 W	2.4kW	2.3kW	1.5kW
2nd cooking zone specification		Rapid burner	Normal electric plate	Mono circuit vitroc. plate	Mono circuit vitroc. plate	Mono circuit - Induction plate			
2nd cooking zone power		3.0kW	1.5kW	1.7 kW	1.7 kW	2300W			
Total power of cooking zones	3.5kW	4.0kW	3.0 kW	2,9 kW	2.9 kW	3.7 kW	2.4kW	2.3 kW	1.5kW
Net height-width-depth (mm)	288 x 510 x 45	290 x 510 x 40	288 x 510 x 45	288 x 510 x 45	288 x 510 x 39	288 x 510 x 53	288 x 510 x 50	288 x 510 x 155	288 X 510 X 45
Package height-width-depth (mm)	345 x 570 x 120	345 x 570 x 120	345 x 570 x 120	345 x 570 x 120	345 x 570 x 120	345 x 570 x 120	345 x 570 x 120	370 x 570 x 235	345 x 570 x 120
Netto weight (kg)	6.00	4.00	5.00	4.00	3.80	3.80	6.00	7.50	3.80
Gross weight, incl. package (kg)	7.00	5.00	6.00	5.00	4.70	4.70	7.00	9.00	4.20

TECHNICAL SPECIFICATIONS / HOODS AND CHIMNEYS

Model	CFT610/2SX	CFT62/2X	CFT910/2SX	CFT92/2X	CBG620X	CBG640X
Code	36900400	36900392	36900399	36900401	36900311	36900312
EAN code	8016361859036	8016361858954	8016361859029	8016361859043	8016361847873	8016361847880
Controls	mechanical slider	mechanical push buttons	mechanical slider	mechanical push buttons	slider mechanical	slider mechanical
Dimensions (cm)	60	60	60	60	CM.52	CM.52
Finish/Color	SIMIL-INOX	INOX	SIMIL-INOX	INOX	metal grey	stainless steel
Voltage	230-240 V	220-240 V	220-240 V	220-240 V	230-240	230-240
Frequency	50-60 Hz	50 Hz	50 Hz	50 Hz	50 hz	50 hz
Motor (number x power)	1 x 100 W	1 x 140 W	1 x 100 W	1 x140 W	1 x 100W	2 x 100W
Lighting (number x power - type)	28W - Halogen	2 x 28W - Halogen	2 x 28W - Halogen	2 x 28W - Halogen	2 x 28W - Halogen	2 x 28W - Halogen
Total power	128 W	196 W	156 W	196 W	156W	256W
Controls	mechanical slider	mechanical push buttons	mechanical slider	mechanical push buttons	slider mechanical	slider mechanical
Speed levels	3	3	3	3	3	3
Air outlet (mm)	125	125	125	125	123	123
Wire lenght	1,50 mt	1,50 mt	1,50 mt	1,50 mt	0,75 mt	1 mt
Product dimensions	600x76,7x470	598x132x510	898x132x510	898x132x510	520x80x285	520x80x285
Packaging dimensions	650x125x530	610x150x555	950X183X570	950X183X570	570x240x345	565x235x340
Net weight	4.45	5.9	6.85	6.85	6.7	7.2
Gross weight	5.25	6.5	7.69	7.69	5.7	8.2
Model	CMB650X	CMB950X	CMBI970LX	CGM 61 X	CGM 91 X	CVM670LX
Code	36900352	36900353	36900436	36900211	36900190	36900354
EAN code	8016361854802	8016361854819	8016361868441	8016361794078	8016361781900	8016361854826
Controls	push buttons	push buttons	electronic button with GREEN backlight	push buttons	push buttons	Electronic button with green back light
Dimensions (cm)	60 cm	90 cm	90CM	60 cm	90 cm	60cm
Finish/Color	INOX	INOX	INOX/ISLAND	INOX	INOX	INOX/GLASS
Voltage	220-240 V	220-240 V	220-230V	220-240 V	220-240 V	220-230V
Frequency	50Hz	50Hz	50HZ	50Hz	50Hz	50HZ
Motor (number x power)	1 x 130 W	1 x 130 W	1x210w	150 W	150 W	1x210w
Lighting (number x power - type)	2 X 28 W Halogen	2 X 28 W Halogen	4 x 1.5W LED	2 x 20 W Halogen	2 x 20 W Halogen	2x1.5w LED
Total power	186 W	186 W	216W	230 W	230 W	213W
Controls	push buttons	push buttons	electronic button with GREEN backlight	push buttons	push buttons	Electronic button with green back light
Speed levels	3	3	3	3	3	3
No return valve	yes	yes	Yes	yes	yes	Yes
Air outlet (mm)	150 mm	150 mm	150	150 mm	150 mm	120
Wire lenght	1m	1m	1.5M	1m	1m	1.5M
Product dimensions	600 x 485 x 665 min - max 995	900x485xmin 665-max995	900*600*1150mm	600 x 490 x min	900x 490 x min	600*500*1026
Packaging dimensions	690x430x615	990x430x615	1000*475*675mm	690x 429x 616	990x 430x 615	655*380*570
Net weight	11,3 Kg	13 Kg	26	13	15.1	13.2
Gross weight	13,6 Kg	16 Kg	21.8	16.1	19.1	15.2

TECHNICAL SPECIFICATIONS / HOODS AND CHIMNEYS

Model	CBT6240X	CBT9240X	CCE 16/2X	CCE 19/2X	CCR 616/1 X	CRD 93 X
Code	36900316	36900314	36900443	36900441	36900360	36900181
EAN code	8016361847927	8016361847903	8016361854840	8016361854857	8016361855960	8016361781818
Controls	Slider	slider	push buttons	push buttons	slider	electronic control
Dimensions (cm)	60 cm	90 cm	60 cm	90 cm	60 cm	90 cm
Finish/Color	INOX	INOX	INOX	INOX	INOX	INOX
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Frequency	50 Hz	50 Hz	50Hz	50Hz	50Hz	50Hz
Motor (number x power)	1 x 150 W	1 x 150 W	150 W	150 W	1 x 150 W	230 W
Lighting (number x power - type)	2 x 28 W Halogen	2 x 28 W Halogen	2 x 28 W Halogen	2 x 28 W Halogen	2 x 28 W Halogen	2 x 20 W Halogen
Total power	206 W	206 W	206 W	206 W	206 W	270 W
Controls	slider	slider	push buttons	push buttons	slider	electronic control
Speed levels	3	3	3	3	3	3
Timer (included / minutes)	no	no	no	no	no	included / 15 minutes
Filter saturation	no	no	no	no	no	yes
Special function (clean air)	no	no	no	no	no	yes
Air outlet (mm)	120 mm diameter	120 mm diameter	150 mm	150 mm	150 mm	150 mm
Wire lenght	0,8 m	0,8 m	1m	1m	1m	1m
Product dimensions	598x298x175 (no chimney)	898x298x175	600 X 490 X min	900 X 485 X min 560 max 905	600 x 500 x min 750 -max 1175	900 x 500 x min 750 - max 1175
Packaging dimensions	690x 252x 381	990x 252x 382	690 X 429 X 616	955x 290x 535	694x 474x 587	964x 474x 587
Net weight	6.2	8.4	6.8	13	6	11.4
Gross weight	6.8	9.3	9.6	16.1	8.9	15.2
Model	CVM970LX	CVMI 970LX	CDC 61 X	CIDC 61 X	CDT 61 X	CIDT 61 X
Code	36900355	36900382	36900224	36900225	36900226	36900227
EAN code	8016361854833	8016361856967	8016361803534	8016361803541	8016361803558	8016361803565
Controls	Electronic button with green back light	Electronic buttons with green back light	push buttons	touch control green led	electronic control	electronic control
Dimensions (cm)	90cm	90 cm/ISLAND	60 cm	70 x 40 cm	40 cm	40 cm
Finish/Color	INOX/GLASS	INOX/GLASS	INOX	INOX	INOX	INOX
Voltage	220-230V	220-230 V	220-240 V	220-240 V	220-240 V	220-240 V
Frequency	50HZ	50Hz	50Hz	50Hz	50Hz	50Hz
Motor (number x power)	1x210w	1x210w	250 W	250 W	250 W	250 W
Lighting (number x power - type)	2x1.5w LED	4x1.5w LED	2 x 20 W Halogen	4 x 20 W Halogen	2 x 20 W Halogen	2 x 20 W Halogen
Total power	213W	216W	290 W	330 W	290 W	290 W
Controls	Electronic button with green back light	Electronic buttons with green back light	push buttons	touch control green led	electronic control	electronic control
Speed levels	3	3	3	4	4	4
Timer (included / minutes)	no	no	no	included / 15 minutes	included / 15 minutes	included / 15 minutes
Filter saturation	no	no	no	yes	yes	yes
Special function (clean air)	no	no	no	yes	yes	yes
No return valve	Yes	yes	yes	yes	yes	yes
Air outlet (mm)	120	150 mm	150 mm	150 mm	150 mm	150 mm
Wire lenght	1.5M	1.5m	1m	1m	1m	1m
Product dimensions	900*500*1026	900*600*1046	600x433	700x400	400	400
Packaging dimensions	955*405*555	955*405*670	1010x 675x 535	1065x 785x 485	1010x 600x 560	955x 865x 560
Net weight	15.6	20	26.3	30.74	20.8	22.9
Gross weight	18.2	23	30.9	35.3	23.62	29.1

TECHNICAL SPECIFICATIONS / BUILT IN FRIDGE FREEZER

	CXSE7204	CFLO 3550 E	CFFO 3550 E	CKBC 3180 E	CKBC 3150 E	CFBF3050EK	CFBO 3580 E
Product description	Side by Side Fridge Freezer	Built-in Larder	Built-in Freezer	Fridge freezer	Built-in Refrigerator	Built-in Larder	Built-under Refrigerator
Main characteristics			****	****	****	****	****
Rapid freeze indicator light	-	-	-	-		-	-
Adjustable thermostat	•	•	•	•	•	•	•
Door shelves	5/5	4	-	4	4	3	6
Crisper	2	2	-	1	1	1	1
Glass shelves	4/3	5	-	4	4	4	4
Freezer Drawers	3	-	9	3	3	4	-
Reversible doors	-	•	•	•	•	•	•
Number of compressors	1	1	1	1	1	1	1
Technical Data							
Total gross capacity (l)	-	228	319	281	281	255	306
Net refrigerator capacity (l)	345	217	-	203	175	156	254
Net freezer capacity (l)	192	-	316	60	17	78	40
24 hr freezing capacity (kg)	10	-	10.5	3	2	4	2
Climatic class (1)	ST	ST	ST	ST	ST	ST	ST
Manual defrosting	-	-	•	•	•	•	•
Frost free	•	-	-	-	-	-	-
Rising time (h)	7	-	11	16	16	11	10
Annual consumption (kWh) (2)	445	151	291	283	283	294	286
Energy efficiency class (3)	A+	A+	A+	A+	A+	A+	A+
Noise level dB (A) (re 1 pw)	47	39	39	42	42	47	43
Appliance category (4)	7	1	8	7		1	7
Width of cavity (mm)	890	560	560	560	560	560	600
Min. depth of cavity (mm)	681	550	550	550	550	550	550
Height of cavity (mm)	1757	1778÷1785	1778-1785	1772-1776	1772÷1776	1772÷1776	820÷870
Specialfeatures				SKY FAN (Turbo Cold)			SKY FAN (Turbo Cold)

	CFBD 2650 E	CFBD 2450/2E	CB0150E	CI0225E	CBL150E	CRU 164 EK	CRU160 EK	CFU130 EK
Product description	Fridge freezer 2 Door	Fridge Freezer	Fridge freezer	Built-in Refrigerator	Built-in Larder	Built-under Refrigerator	Built-under Larder	Built-under Freezer
Main characteristics	****	****	****	****		****		****
Rapid freeze indicator light	-	-	-		-	•	-	-•
Adjustable thermostat	•	•	•	•	•	•	•	-
Door shelves	4	4	2	3	3	2	2	-
Crisper	1	2	2	2	2	1	1	-
Glass shelves	3	3	1	2	3	1	2	-
Freezer Drawers	-	-	-	-	-	-	-	3
Reversible doors	•	•	•	•	•	•	•	•
Number of compressors	1	1	1	1	1	1	1	1
Technical Data								
Total gross capacity (l)	263	208	125	205	140	119	135	103
Net refrigerator capacity (l)	204	164	106	175	138	100	133	-
Net freezer capacity (l)	56	37	17	17	-	17	-	97
24 hr freezing capacity (kg)	4	2	2	2	-	2	-	6
Climatic class (1)	ST	ST	ST	ST	ST	ST	ST	ST
Manual defrosting	•	•	•	•	-	•	-	•
Frost free	--	-	-	-	-	-		
Rising time (h)	14	13	10	10	-	10	-	12
Annual consumption (kWh) (2)	279	294	175	204	126	185	123	193
Energy efficiency class (3)	A+	A+	A+	A+	A+	A+	A+	A+
Noise level dB (A) (re 1 pw)	40	44	43	43	43	43	43	43
Appliance category (4)	7	7		7	1	7	1	8
Width of cavity (mm)	560	560	560	560	560	600	600	600
Min. depth of cavity (mm)	550	550	550	550	550	550	550	550
Height of cavity (mm)	1580÷1584	1444÷1448	872÷880	1225÷1227	872÷880	820÷870	820÷870	820÷870

TECHNICAL SPECIFICATIONS / WASHERS

PRODUCT NAME	CDB 854DN-80	CDB 754DN/1-80	CDB 264N-80	CWB 1062DN1-S	CWB 1372DN1-S	CWB 814DN1-S
PRODUCT CODE	31800173	31800159	31800169	31800153	31800154	31800161
EAN CODE	8016361867246	8016361867109	8016361867208	8016361864603	8016361864610	8016361867123
BRAND				CANDY	CANDY	CANDY
LOAD CAPACITY	8	7	6	6	7	8
DRYING CAPACITY	5	5	4			
SPIN SPEED RPM	1400	1400	1200	1000	1300	1400
START DELAY CONTROL	YES AS BUTTON (UP TO 23 H.)	YES AS BUTTON (UP TO 23 H.)	YES AS BUTTON (3-6-9H.)	YES AS BUTTON (3H 6H OR 9H)	YES AS BUTTON (3H 6H OR 9H)	YES AS BUTTON (UP TO 24 H.)
DIGITAL COUNTDOWN	YES	YES	YES			
COLOR	WHITE	WHITE	WHITE	WHITE	WHITE	WHITE
DOOR SECURITY	YES	YES	YES	YES	YES	YES
WATER PROTECTION	ANTIOVERFLOW	ANTIOVERFLOW	ANTIOVERFLOW	ANTIOVERFLOW	ANTIOVERFLOW	ANTIOVERFLOW
	FOAM CONTROL	FOAM CONTROL	FOAM CONTROL	FOAM CONTROL	FOAM CONTROL	FOAM CONTROL
ELECTRONIC SPIN	YES	YES	YES	YES	YES	YES
ELECTRONIC BALANCE	YES	YES	YES	YES	YES	YES
PROGRAMS	16	16	21+1	16	16	12
SPECIAL PROGRAMS	HAND WASH (DELICATES/SILK) HIGH DRY LOW DRY MIX & WASH RAPID 14'-30'-44' SHIRTS 30° WASH & DRY 59' WOOL	HAND WASH (DELICATES/SILK) HIGH DRY LOW DRY MIX & WASH RAPID 14'-30'-44' SHIRTS 30° SILK 30' WASH & DRY 59'	HAND WASH (DELICATES/SILK) HIGH DRY LOW DRY MIX & WASH RAPID 32' SHIRTS 30° WASH & DRY 59'	HAND WASH (DELICATES/SILK) MIX & WASH RAPID 32' WOOL PROGRAM	HAND WASH (DELICATES/SILK) MIX & WASH RAPID 32' WOOL PROGRAM	HAND WASH (DELICATES/SILK) MIX & WASH RAPID 14' WOOL PROGRAM
BUTTONS	AQUA PLUS DRYING SELECTION SPIN SELECTION STAIN BUSTER STAIN STAR DELAY 23H START/PAUSE TEMPERATURE	AQUA PLUS DRYING SELECTION SPIN SELECTION STAIN BUSTER STAIN STAR DELAY 23H START/PAUSE TEMPERATURE	AQUA PLUS COLD WASH DRYING SELECTION EASY IRON SPIN SELECTION STAIN BUSTER START DELAY START/PAUSE	AQUAPLUS COLD WASH EASY IRON (WITH ANTI CREASE SPIN SELECTION START DELAY START/PAUSE	AQUAPLUS COLD WASH SPIN SELECTION START DELAY START/PAUSE	AQUAPLUS EASY IRON (WITH ANTI CREASE SPIN SELECTION STAIN BUSTER STAIN LEVEL START DELAY START/PAUSE START/PAUSE TEMPERATURE
SKIP SPIN				YES	YES	YES
ENERGY EFFICIENCY	B	A	B	A+	A+	A+
WASHING	A	A	A	A	A	A
SPIN DRYING	A	A	B	C	B	A
CONNECTION RATING W	1500	2150	2150	1500W	1500W	1500
VOLTAGE (V)	220-240	220-240	220-240	220-240	220-240	220-240
FREQUENCY (HZ)	50	50	50	50	50	50

TECHNICAL SPECIFICATIONS / BUILT IN FRIDGE FREEZER

	CXSE7204	CFLO 3550 E	CFFO 3550 E	CKBC 3180 E	CKBC 3150 E	CFBF3050EK	CFBO 3580 E
Product description	Side by Side Fridge Freezer	Built-in Larder	Built-in Freezer	Fridge freezer	Built-in Refrigerator	Built-in Larder	Built-under Refrigerator
Main characteristics			****	****	****	****	****
Rapid freeze indicator light	-	-	-	-		-	-
Adjustable thermostat	•	•	•	•	•	•	•
Door shelves	5/5	4	-	4	4	3	6
Crisper	2	2	-	1	1	1	1
Glass shelves	4/3	5	-	4	4	4	4
Freezer Drawers	3	-	9	3	3	4	-
Reversible doors	-	•	•	•	•	•	•
Number of compressors	1	1	1	1	1	1	1
Technical Data							
Total gross capacity (l)	-	228	319	281	281	255	306
Net refrigerator capacity (l)	345	217	-	203	175	156	254
Net freezer capacity (l)	192	-	316	60	17	78	40
24 hr freezing capacity (kg)	10	-	10.5	3	2	4	2
Climatic class (1)	ST	ST	ST	ST	ST	ST	ST
Manual defrosting	-	-	•	•	•	•	•
Frost free	•	-	-	-	-	-	-
Rising time (h)	7	-	11	16	16	11	10
Annual consumption (kWh) (2)	445	151	291	283	283	294	286
Energy efficiency class (3)	A+	A+	A+	A+	A+	A+	A+
Noise level dB (A) (re 1 pw)	47	39	39	42	42	47	43
Appliance category (4)	7	1	8	7		1	7
Width of cavity (mm)	890	560	560	560	560	560	600
Min. depth of cavity (mm)	681	550	550	550	550	550	550
Height of cavity (mm)	1757	1778÷1785	1778-1785	1772-1776	1772÷1776	1772÷1776	820÷870
Specialfeatures				SKY FAN (Turbo Cold)			SKY FAN (Turbo Cold)

	CFBD 2650 E	CFBD 2450/2E	CB0150E	CI0225E	CBL150E	CRU 164 EK	CRU160 EK	CFU130 EK
Product description	Fridge freezer 2 Door	Fridge Freezer	Fridge freezer	Built-in Refrigerator	Built-in Larder	Built-under Refrigerator	Built-under Larder	Built-under Freezer
Main characteristics	****	****	****	****		****		****
Rapid freeze indicator light	-	-	-		-	•	-	-•
Adjustable thermostat	•	•	•	•	•	•	•	-
Door shelves	4	4	2	3	3	2	2	-
Crisper	1	2	2	2	2	1	1	-
Glass shelves	3	3	1	2	3	1	2	-
Freezer Drawers	-	-	-	-	-	-	-	3
Reversible doors	•	•	•	•	•	•	•	•
Number of compressors	1	1	1	1	1	1	1	1
Technical Data								
Total gross capacity (l)	263	208	125	205	140	119	135	103
Net refrigerator capacity (l)	204	164	106	175	138	100	133	-
Net freezer capacity (l)	56	37	17	17	-	17	-	97
24 hr freezing capacity (kg)	4	2	2	2	-	2	-	6
Climatic class (1)	ST	ST	ST	ST	ST	ST	ST	ST
Manual defrosting	•	•	•	•	-	•	-	•
Frost free	--	-	-	-	-	-		
Rising time (h)	14	13	10	10	-	10	-	12
Annual consumption (kWh) (2)	279	294	175	204	126	185	123	193
Energy efficiency class (3)	A+	A+	A+	A+	A+	A+	A+	A+
Noise level dB (A) (re 1 pw)	40	44	43	43	43	43	43	43
Appliance category (4)	7	7		7	1	7	1	8
Width of cavity (mm)	560	560	560	560	560	600	600	600
Min. depth of cavity (mm)	550	550	550	550	550	550	550	550
Height of cavity (mm)	1580÷1584	1444÷1448	872÷880	1225÷1227	872÷880	820÷870	820÷870	820÷870

TECHNICAL SPECIFICATIONS / DUO AND TRIO RANGE

	DUO AND TRIO	
Model	**DUO 609**	**TRIO 9503**
Product description	Oven dishwasher	Oven, hob, dishwasher
Finish	X	X
Hob		
4 gas burners		-
Flame failure device		-
One touch ignition		-
Enamelled pan supports		-
4 hi-light zones		•
Oven		
Multi-function oven	•	•
Grill	•	•
Timer	-	End of cooking
Number of glass door panels	2	2
Volume (litres)	39	39
Energy classification	A	A

	DUO 609	TRIO 9503
Dishwasher		
Number of IEC place settings	6	6
Number of programmes	6	5
Water consumption (litres - IEC)	9	9
Rapid programme (mins)	32	32
Anti-overflow device	•	•
Energy efficiency class	A	A
Wash efficiency class	A	A
Drying efficiency class	A	A
Dimensions		
Height (mm) with adjustable legs	835-900	850-920
Width (mm)	596	600
Depth (mm)	570	600

TECHNICAL SPECIFICATIONS / WARMING DRAWER

	WARMING DRAWER		
Model	**CPWD 140X**		
Keep warm programme	•	Max capacity	25kg
Pre-heating crockery	•	Max absorbed power	620W
Temp adjustable from 30-80°C	•	**Dimensions**	
Anti-slip mat	•	Heigth (mm)	140
Illuminated on/off switch	•	Width (mm)	597
Telescopic pull-out drawer	•	Depth (mm)	525

TECHNICAL SPECIFICATIONS / WINE COOLERS

	WINE COOLERS			
Model	**CCVB 25T UK**	**CCVB 60 UK**	**CCVB 120**	**CCVB110**
Width	15cm	30cm	60cm	60cm
Total gross capacity	20	57	120	110
Bottle storage capacity	7	12	35	24
LED display with light	•	•	•	•
Adjustable temperature control	8-22	4-18	4-18	4-18

Model	**CCVB 25T UK**	**CCVB 60 UK**	**CCVB 120**	**CCVB 110**
Front Vent	•	•	•	•
Adjustable feet		•	•	•
Height (mm)	820-890	820-890	820-890	820-890
Width	150	295	597	597
Depth	553	553	550	550

X - Stainless Steel NX - Black and Stainless Steel S - Silver N - Black W - White GR - Grey GH - Charcoal

UNI EN ISO

Group activities including all factories and the organisation structure are ISO 9001 accredited.

Candy's policy is one of continuous improvement, therefore we reserve the right to modify or alter specificationswithout prior notice. All products subject to availability.

NEW

CFX 64 P

CFX 75 P

CVG64SP B

CVG64SP N

CVG75SQP B

CVG75SQP X

NOTES

CANDY ME FZE

P.O. Box 54954
Dubai, United Arab Emirates.

Telephone: +971 4 2993808
Fax: +971 4 2993809
Web site: www.candy.ae
www.candy-group.com
Email: info@candy.ae

Regional Office of
CANDY GROUP SRL
Private eden Fumagalli
20861 Brugherio,
Milan - Italy

10032024-CANDY